

FUTURE Local Coverage Determination (LCD): Cardiac Rehabilitation (L34412)



Please note: Future Effective Date.

Contractor Information

| | | |
|--|--------------------------|-------------------------------|
| Contractor Name Palmetto GBA opens in new window Back to Top | Contract Number 11501 | Contract Type MAC - Part A |
|--|--------------------------|-------------------------------|

LCD Information

Document Information



| | | |
|--|--------|--|
| L34412 | LCD ID | Jurisdiction North Carolina |
| Original ICD-9 LCD ID N/A | | Original Effective Date For services performed on or after 10/01/2014 |
| LCD Title Cardiac Rehabilitation | | Revision Effective Date For services performed on or after 10/01/2014 |
| AMA CPT/ADA CDT Copyright Statement CPT only copyright 2002-2013 American Medical Association. All Rights Reserved. CPT is a registered trademark of the American Medical Association. Applicable FARS/DFARS Apply to Government Use. Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein. The Code on Dental Procedures and Nomenclature (Code) is published in Current Dental Terminology (CDT). Copyright © American Dental Association. All rights reserved. CDT and CDT-2010 are trademarks of the American Dental Association. | | Revision Ending Date N/A |
| | | Retirement Date N/A |
| | | Notice Period Start Date N/A |
| | | Notice Period End Date N/A |

CMS National Coverage Policy Title XVIII of the Social Security Act, §1862 (a)(1)(A) allows coverage and payment for only those services that are considered to be reasonable and necessary for the diagnosis or treatment of illness or injury or to improve the functioning of a malformed body member.

Title XVIII of the Social Security Act, §1862(a)(1)(D) items and services related to research and experimentation.

Title XVIII of the Social Security Act, §1862(a)(7) excludes routine physical examinations.

Title XVIII of the Social Security Act, §1833 (e) prohibits Medicare payment for any claim which lacks the necessary information to process the claim.

42 CFR §410.26 Services incident to a physician's professional services

42 CFR §410.27 Therapeutic outpatient hospital or CAH services and supplies incident to a physician's or non-physician practitioner's service

42 CFR §410.32 (3)(i)(ii)and (iii) Levels of supervision

42 CFR §410.49 Cardiac rehabilitation program and intensive cardiac rehabilitation program: conditions of coverage.

CMS Internet-Only Manual, Pub 100-02, Medicare Benefit Policy Manual, Chapter 15, §60.1.B and 232

CMS Internet-Only Manual, Pub 100-03, Medicare National Coverage Determinations Manual, Chapter 1, Part 1, §20.10.1

CMS Internet-Only Manual, Pub 100-04, Medicare Claims Processing Manual, Chapter 32, §140-140.3

CMS Internet-Only Manual, Pub 100-02, Medicare Benefit Policy Manual, Transmittal 191, dated July 18, 2014, Change Request 8758

CMS Internet-Only Manual, Pub 100-04, Medicare Claims Processing Manual, Transmittal 2989, dated July 18, 2014, Change Request 8758

CMS Internet-Only Manual, Pub 100-08, Medicare Program Integrity Manual, Transmittal 530, dated July 18, 2014, Change Request 8758

Coverage Guidance

Coverage Indications, Limitations, and/or Medical Necessity

Cardiac Rehabilitation (CR) means a comprehensive, *physician-supervised program that furnishes physician prescribed exercise, cardiac risk factor modification, ... psychosocial assessment, and outcomes assessment, and other items/services as determined by the Secretary under certain conditions.* The purpose of the program is to restore individual patients with certain cardiac conditions to active and productive lives as demonstrated in the outcomes assessment.

The medical literature divides CR into three phases: Phase I is the immediate in-hospital, post-cardiac event phase; Phase II is the outpatient immediate post-hospitalization recuperation phase in the case of acute cardiac events such as myocardial infarction (MI) or cardiac surgery; and Phases III and IV are the long-term maintenance phases and are not payable under Medicare. This LCD encompasses Phase II CR. Phase II programs are typically initiated one to three weeks after hospital discharge in the case of acute cardiac events such as MI or cardiac surgery and consist of a series of medically supervised exercise sessions with Continuous Electrocardiograph Monitoring (CEM). Clinically optimal results are obtained if these sessions are conducted two to three times per week over a 12–18-week period, generally for a total of 36 sessions.

Phases of Cardiac Rehabilitation

- Phase I: Acute in-hospital phase of CR. This is included in the hospital care for the acute illness and is not included under the CR benefit.
- Phase II: For the purposes of this LCD, Phase II is divided into
 - Phase IIA and Phase IIB.
 - Phase IIA is the initial outpatient CR, consisting of 36 or fewer sessions, occurring up to two sessions per day.
 - Phase IIB consists of up to an additional 36 sessions and will only be allowed if determined medically necessary. Phase IIB benefits must meet additional medical necessity criteria. Specifically, there must be clear demonstration that the patient is benefiting from CR and that the exit criteria below from phase IIA have not yet been met. The maximum total of allowable sessions under Phase IIA and IIB is 72 (see Section D.)

- Phase III: CR programs that are self-directed or self-controlled/monitored exercise programs.
- Phase IV: CR programs or maintenance therapy that may be safely carried out without medical supervision.

NOTE: Phase III CR programs do not meet the supervisory requirements of the benefit and are not covered under Medicare.

Individualized treatment plan is a written plan tailored to each individual patient that includes all of the following:

- A description of the individual's diagnosis.
- The type, amount, frequency and duration of the items and services furnished under the plan.
- Must be established, reviewed and signed by a physician every 30 days.
- The goals set for the individual under the plan.

Intensive Cardiac Rehabilitation (ICR) services must include the comprehensive program components of a CR program. In addition ICR services must demonstrate that the program improves patients' cardiovascular disease through specific outcome measurements. See CMS National Coverage Policy section of this LCD.

CR and ICR are covered for the following patients:

- Patients who begin the program within 12 months of an acute Myocardial Infarction (MI);
- Patients who have had Coronary Artery Bypass Graft (CABG) surgery;
- Patients with current, stable angina pectoris;
- Patients who have had heart valve repair/replacement;
- Patients who have had Percutaneous Transluminal Coronary Angioplasty (PTCA) or coronary stenting;
- Patients who have had a heart or heart-lung transplant; or
- Patients with a *stable, chronic heart failure defined as patients with left ventricular ejection fraction of 35% or less and New York Heart Association (NYHA) class II to IV symptoms despite being on optimal heart failure therapy for at least six weeks (effective February 18, 2014).*

Stable patients are defined as patients who have not had recent (≤6 weeks) or planned (≤6 months) major cardiovascular hospitalizations or procedures.

Limitations

ICR services **must** be provided in a program approved through the NCD process:

- ICR programs must be approved by CMS.
- For ICR programs that are approved by CMS, sites wishing to furnish ICR services via an approved ICR program may begin to enroll as ICR program suppliers using the CMS-855B form.
- MACs will ensure that claims submitted from individual ICR sites are submitted by enrolled ICR program sites.

An intensive cardiac rehabilitation program must also demonstrate through peer-reviewed published research that it accomplished a statistically significant reduction in five or more of the following measures for patients from their levels before cardiac rehabilitation services to after cardiac rehabilitation services:

- *Low density lipoprotein;*
- *Triglycerides;*
- *Body mass index;*
- *Systolic blood pressure;*
- *Diastolic blood pressure; and*
- *The need for cholesterol, blood pressure, and diabetes medications.*

A. Facilities for Both CR and ICR

For CR programs provided in the outpatient department of a hospital, coverage is subject to the following conditions:

- The facility is a hospital outpatient department or a physician's office.
- The facility has available for immediate use all the necessary cardiopulmonary emergency diagnostic and therapeutic life-saving equipment accepted by the medical community as medically necessary, e.g., oxygen, cardiopulmonary resuscitation equipment or defibrillator.
- The program is staffed by personnel necessary to conduct the program safely and effectively and who are trained in both basic and advanced life support techniques and in exercise therapy for coronary disease.

Physician responsibility

There are two categories of responsibility that require a physician (MD or DO). One is that of medical director; the physician(s) with directorial responsibility for the CR or ICR program. The medical director in consultation with staff is involved in directing the progress of individuals in the program. This individual must possess all of the following: *(1) expertise in the management of individuals with cardiac pathophysiology; (2) cardiopulmonary training in basic life support or advanced cardiac life support; and (3) a license to practice medicine in the state in which the CR or ICR program is offered.* The other physician responsibility is that of supervising physician. This could be the same individual as the medical director, but that is not required. An identified supervising physician must also possess the same three specific characteristics listed for the medical director. The supervising physician must be immediately available at all times while cardiac rehabilitation services are being rendered. This does not require that a physician be physically present in the exercise room itself but **must be immediately available and accessible** at all times. It should also be noted that non-physician practitioners may not serve in the medical director role or supervisory role for Cardiac rehabilitation.

B. Diagnoses for Both CR and ICR

- For MI, the date of entry into the program must be within 12 months of the date of infarction.

C. Frequency and Duration for CR and ICR

Once a beneficiary begins CR, he may not switch to ICR, and once a beneficiary begins ICR, he may not switch to CR. Upon completion of a CR or ICR program, beneficiaries must experience another indication in order to be eligible for additional coverage for CR or ICR. Should a beneficiary experience more than one indication simultaneously, he may participate in a single series of CR or ICR sessions (e.g., a patient who had a myocardial infarction within 12 months and currently experiences stable angina is entitled to one series of CR sessions).

CR Program:

- The frequency and duration of the program is generally a total of 36 sessions over a maximum of 36 weeks.

ICR Program:

- The frequency and duration of the program are generally a total of 72 sessions over a maximum of 18 weeks (126 days).

D. Exit Criteria for Both CR and ICR

Outcome assessments should include:

- *Minimally, assessments from the commencement and conclusion of CR/ICR, based on patient-centered outcomes, which must be measured by the physician immediately at the beginning and end of the program.*

- *Objective clinical measures of the effectiveness of the CR/ICR program for the individual patient, including exercise performance and self-reported measures of exertion and behavior.*

Exit Criteria

Once a patient has reached the following, further CR may not be considered reasonable and necessary unless medical record documentation clearly indicates otherwise:

- Ischemic heart disease; Chronic Heart Failure: Patient's status following MI, CABG, PTCA or stent, and patients with angina undergoing stress testing without demonstrating significant ischemia or dysrhythmia after completion of six minutes of a Bruce protocol, or equivalent, achieving a stable level of exercise tolerance (7 METS). (See the American Heart Association's functional classification: Class I, or normal function status, begins at 7 metabolic equivalent units (METS).)
- Following valve repair/replacement: Patients achieving a stable level of exercise tolerance (7 METS).
- Heart and heart-lung transplant patients: Issues such as deconditioning and cachexic deterioration may complicate the definition of reasonable exit criteria. Based on the study of long term cardiopulmonary exercise performed after heart transplant (Osada et al), a peak oxygen consumption (VO₂) of greater than 90 percent of predicted will be used as the exit criterion for phase IIA. Patients whose peak VO₂ is less than 90 percent of predicted may qualify for phase IIB.

In addition to the exercise/physiologic criteria listed above, the patient should also be ready for transition as manifested by progress toward the cognitive and functional goals identified and addressed during the program.

E. Non-Covered Diagnoses for Both CR and ICR

- Use of any ICD-10-CM diagnosis code not in the "ICD-10-CM Diagnosis Codes That Support Medical Necessity" section of this LCD will be cause for denial of claims.
- A patient with unstable angina or a patient status post-non-cardiac surgery will not qualify for CR services.
- Acute congestive heart failure is not included as a covered condition of CR. (See CMS National Coverage Policy section of this LCD)

F. Other Services

- Evaluation and Management (E/M) services, Electrocardiograms (ECGs) and other diagnostic services may be covered on the day of CR if these services are separate and distinct from the CR program and are reasonable and necessary, but would not be covered if provided routinely as part of the CR program.
- Forms of counseling, such as dietary counseling, psychosocial intervention, lipid management and stress management, are components of the CR program and are not separately reimbursed.

[Back to Top](#)

Coding Information

[FUTURE]

Bill Type Codes:

Contractors may specify Bill Types to help providers identify those Bill Types typically used to report this service. Absence of a Bill Type does not guarantee that the policy does not apply to that Bill Type. Complete absence of all Bill Types indicates that coverage is not influenced by Bill Type and the policy should be assumed to apply equally

to all claims.

013x Hospital Outpatient
085x Critical Access Hospital

Revenue Codes:

Contractors may specify Revenue Codes to help providers identify those Revenue Codes typically used to report this service. In most instances Revenue Codes are purely advisory; unless specified in the policy services reported under other Revenue Codes are equally subject to this coverage determination. Complete absence of all Revenue Codes indicates that coverage is not influenced by Revenue Code and the policy should be assumed to apply equally to all Revenue Codes.

Note: Palmetto GBA J11 Part A MAC has identified the Bill Types and Revenue Codes applicable for use with the CPT/HCPCS codes included in this LCD. Providers are reminded that not all CPT/HCPCS codes listed can be billed with all Bill Type and/or Revenue Codes listed. CPT/HCPCS codes are required to be billed with specific Bill Type and Revenue Codes.

0943 Other Therapeutic Services - Cardiac Rehabilitation
096X Professional Fees - General Classification
0973 Professional Fees - Radiology - Therapeutic
0982 Professional Fees - Outpatient Services

CPT/HCPCS Codes

Group 1 Paragraph: N/A

Group 1 Codes:

93797 Cardiac rehab
93798 Cardiac rehab/monitor
G0422 Intens cardiac rehab w/exerc
G0423 Intens cardiac rehab no exer

ICD-10 Codes that Support Medical Necessity

Group 1 Paragraph: The CPT/HCPCS codes included in this LCD will be subjected to "procedure to diagnosis" editing. The following lists include only those diagnoses for which the identified CPT/HCPCS procedures are covered. If a covered diagnosis is not on the claim, the edit will automatically deny the service as not medically necessary.

Medicare is establishing the following limited coverage for CPT/HCPCS codes **93797, 93798, G0422 and G0423:**

Group 1 Codes:

| ICD-10 Codes | Description |
|---------------------|---|
| I20.1 | Angina pectoris with documented spasm |
| I20.8 | Other forms of angina pectoris |
| I20.9 | Angina pectoris, unspecified |
| I21.01 | ST elevation (STEMI) myocardial infarction involving left main coronary artery |
| I21.02 | ST elevation (STEMI) myocardial infarction involving left anterior descending coronary artery |
| I21.09 | ST elevation (STEMI) myocardial infarction involving other coronary artery of anterior wall |
| I21.11 | ST elevation (STEMI) myocardial infarction involving right coronary artery |
| I21.19 | ST elevation (STEMI) myocardial infarction involving other coronary artery of inferior wall |
| I21.21 | ST elevation (STEMI) myocardial infarction involving left circumflex coronary artery |
| I21.29 | ST elevation (STEMI) myocardial infarction involving other sites |
| I21.3 | ST elevation (STEMI) myocardial infarction of unspecified site |
| I21.4 | Non-ST elevation (NSTEMI) myocardial infarction |
| I22.0 | Subsequent ST elevation (STEMI) myocardial infarction of anterior wall |

| ICD-10 Codes | Description |
|-------------------------|--|
| I22.1 | Subsequent ST elevation (STEMI) myocardial infarction of inferior wall |
| I22.2 | Subsequent non-ST elevation (NSTEMI) myocardial infarction |
| I22.8 | Subsequent ST elevation (STEMI) myocardial infarction of other sites |
| I22.9 | Subsequent ST elevation (STEMI) myocardial infarction of unspecified site |
| I25.10 | Atherosclerotic heart disease of native coronary artery without angina pectoris |
| I25.111 | Atherosclerotic heart disease of native coronary artery with angina pectoris with documented spasm |
| I25.118 | Atherosclerotic heart disease of native coronary artery with other forms of angina pectoris |
| I25.119 | Atherosclerotic heart disease of native coronary artery with unspecified angina pectoris |
| I25.2* | Old myocardial infarction |
| I25.5 | Ischemic cardiomyopathy |
| I25.6 | Silent myocardial ischemia |
| I25.701 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with angina pectoris with documented spasm |
| I25.708 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with other forms of angina pectoris |
| I25.709 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with unspecified angina pectoris |
| I25.711 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with angina pectoris with documented spasm |
| I25.718 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with other forms of angina pectoris |
| I25.719 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with unspecified angina pectoris |
| I25.721 | Atherosclerosis of autologous artery coronary artery bypass graft(s) with angina pectoris with documented spasm |
| I25.728 | Atherosclerosis of autologous artery coronary artery bypass graft(s) with other forms of angina pectoris |
| I25.729 | Atherosclerosis of autologous artery coronary artery bypass graft(s) with unspecified angina pectoris |
| I25.731 | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with angina pectoris with documented spasm |
| I25.738 | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with other forms of angina pectoris |
| I25.739 | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with unspecified angina pectoris |
| I25.751 | Atherosclerosis of native coronary artery of transplanted heart with angina pectoris with documented spasm |
| I25.758 | Atherosclerosis of native coronary artery of transplanted heart with other forms of angina pectoris |
| I25.759 | Atherosclerosis of native coronary artery of transplanted heart with unspecified angina pectoris |
| I25.761 | Atherosclerosis of bypass graft of coronary artery of transplanted heart with angina pectoris with documented spasm |
| I25.768 | Atherosclerosis of bypass graft of coronary artery of transplanted heart with other forms of angina pectoris |
| I25.769 | Atherosclerosis of bypass graft of coronary artery of transplanted heart with unspecified angina pectoris |
| I25.790 | Atherosclerosis of other coronary artery bypass graft(s) with unstable angina pectoris |
| I25.791 | Atherosclerosis of other coronary artery bypass graft(s) with angina pectoris with documented spasm |
| I25.798 | Atherosclerosis of other coronary artery bypass graft(s) with other forms of angina pectoris |
| I25.799 | Atherosclerosis of other coronary artery bypass graft(s) with unspecified angina pectoris |
| I25.810 | Atherosclerosis of coronary artery bypass graft(s) without angina pectoris |
| I25.811 | Atherosclerosis of native coronary artery of transplanted heart without angina pectoris |
| I25.812 | Atherosclerosis of bypass graft of coronary artery of transplanted heart without angina pectoris |
| I25.89 | Other forms of chronic ischemic heart disease |
| I25.9 | Chronic ischemic heart disease, unspecified |
| I50.22 | Chronic systolic (congestive) heart failure |
| I50.32 | Chronic diastolic (congestive) heart failure |
| I50.42 | Chronic combined systolic (congestive) and diastolic (congestive) heart failure |
| Z48.21 | Encounter for aftercare following heart transplant |
| Z48.280 | Encounter for aftercare following heart-lung transplant |
| Z94.1 | Heart transplant status |

| ICD-10 Codes | Description |
|--------------|--|
| Z94.3 | Heart and lungs transplant status |
| Z95.1 | Presence of aortocoronary bypass graft |
| Z95.2 | Presence of prosthetic heart valve |
| Z95.3 | Presence of xenogenic heart valve |
| Z95.4 | Presence of other heart-valve replacement |
| Z95.5 | Presence of coronary angioplasty implant and graft |
| Z98.61 | Coronary angioplasty status |
| Z98.89 | Other specified postprocedural states |

Group 1 Medical Necessity ICD-10 Codes Asterisk Explanation: *Note: ICD-10 code I25.2 (old myocardial infarction) refers to a MI that has occurred more than eight weeks prior to cardiac rehabilitation services.

ICD-10 Codes that DO NOT Support Medical Necessity N/A
 ICD-10 Additional Information

[Back to Top](#)

General Information



Associated Information

Documentation Requirements

Documentation supporting medical necessity should be legible, maintained in the patient's medical record and made available to the A/B MAC upon request.

ICD-10-CM diagnosis codes supporting medical necessity must be submitted with each claim. Claims submitted without such evidence will be denied as not medically necessary.

Any diagnosis submitted must have documentation in the patient's record to support coverage and medical necessity.

All CR providers must have documentation of the qualifying event in the patient's medical record. This information may include copies of the referring physician's records or reports. A prescription for CR from the referring physician must be maintained in the patient's medical record by the provider of the CR service.

When billing HCPCS/CPT codes 93798, G0422 or G0423, the documentation must clearly indicate the patient is receiving continuous ECG monitoring.

A CR record must be maintained. The CR record must show that the five required components of a CR or ICR as applicable including all of the following:

- Physician-prescribed exercise each day cardiac rehabilitation items and services are furnished. This does not mean a physician must write a prescription each day, but a physician must write a prescription for each day and each component of rehabilitation that is furnished. In addition there should be a record of the intervention. If ECG monitoring is provided, for example, a representative strip should be provided. There should be a description notation of the exercise provided.
- Cardiac risk factor modification is provided including education, counseling, and behavioral intervention, tailored to the patient's individual needs. The record should document the needs that are identified, the interventions planned to address them and the interventions undertaken.

- Psychosocial Assessment identifying what needs the patient has, the intervention planned to address them and evidence of that intervention. If an assessment is done and no needs are identified, that circumstance should be documented in the patient's record.
- Outcomes assessment showing the results of each of the interventions identified and addressed above.
- An individualized treatment plan detailing how components are utilized for each patient must be present. The individualized treatment plan must be established, reviewed and signed by a physician every 30 days. Particular attention should be given to explaining the progress toward cognitive and functional goals as well as the physiologic exercise goals.
- The presence of a physician or physicians providing the roles of medical director and direct supervision are a condition for coverage of CR and ICR. These roles may be supplied by one or more individual and it is not necessary for the medical director to provide the supervision. In the case of programs provided in hospitals, the role of supervision is presumed.
- The medical record should identify the medical director. For example the prescription for the program elements will be signed by this individual and for example be progress notes and the individualized treatment plan signed every 30 days.
- One method of identifying the supervising physician is to make note of it in the entry of each session by a statement identifying the physician, and signed by the individual making the entry into the record. Other methods of providing reliable evidence would be accepted.

Utilization Guidelines

Refer to "Coverage Indications, Limitations, and/or Medical Necessity," Section C – "Frequency and Duration," above.

Notice: This LCD imposes utilization guideline limitations. Although Medicare allows up to these maximums, each patient's condition and response to treatment must medically warrant the number of services reported for payment. Medicare requires the medical necessity for each service reported to be clearly demonstrated in the patient's medical record. Medicare expects that patients will not routinely require the maximum allowable number of services.

Notice: This LCD imposes diagnosis limitations that support diagnosis to procedure code automated denials. However, services performed for any given diagnosis must meet all of the indications and limitations stated in this policy, the general requirements for medical necessity as stated in CMS payment policy manuals, any and all existing CMS national coverage determinations, and all Medicare payment rules.

For services to be covered under Medicare, a service shall be reasonable and necessary. When appropriate, contractors shall describe the circumstances under which the proposed LCD for the service is considered reasonable and necessary. Contractors shall consider a service to be reasonable and necessary if the contractor determines that the service is:

- Safe and effective.
- Not experimental or investigational (exception: routine costs of qualifying clinical trial services with dates of service on or after September 19, 2000, that meet the requirements of the Clinical Trials NCD, are considered reasonable and necessary).
- Appropriate, including the duration and frequency that is considered appropriate for the service, in terms of whether it is:

- Furnished in accordance with accepted standards of medical practice for the diagnosis or treatment of the patient's condition or to improve the function of a malformed body member.
- Furnished in a setting appropriate to the patient's medical needs and condition.
- Ordered and furnished by qualified personnel.
- One that meets, but does not exceed, the patient's medical needs.
- At least as beneficial as an existing and available medically appropriate alternative.

Sources of Information and Basis for Decision

Leon AS, Franklin BA, Costa F, et al. Cardiac rehabilitation and secondary prevention of heart disease: An AHA/Scientific Statement from the Council of Clinical Cardiology. *Circulation*. 2005;111(3):369-376.

Ades PA. Cardiac rehabilitation and secondary prevention of heart disease. *NEJM*. 2001;345(12):892-902.

Anderson JL, Adams CD, Antman EM, et al. ACC/AHA 2007 Guidelines for the management of patients with unstable angina/non-ST elevation myocardial infarction: A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. *Circulation*. 2007;116(7):e148-e304.

Balady GJ, Williams MA, Ades PA, et al. Core components of cardiac rehabilitation/secondary prevention programs: 2007 update. *Circulation*. 2007;115(20):2675-2682.

Thomas RJ, King M, Lui K, Oldridge N, Pina IL, Spertus J. AACVPR/ACCF/AHA 2010 Update: Performance Measures on Cardiac Rehabilitation for Referral to Cardiac Rehabilitation/Secondary Prevention Services. *J Am Coll Cardiol*. 2010;56(14):1159-1167.

Thomas RJ, King M, Lui K, Oldridge N, Pina IL, Spertus J. AACVPR/ACC/AHA 2007 Performance Measures on Cardiac Rehabilitation for Referral to and Delivery of Cardiac Rehabilitation/Secondary Prevention Services. *J Am Coll Cardiol*. 2007;50(14):1400-1433.

Gibbons RJ, Abrams J, Chatterjee K, et al. ACC/AHA 2002 Guideline Update for the Management of Patients With Chronic Stable Angina. American College of Cardiology and the American Heart Association. *Circulation*. 2003;107(1):149-158.

Leon AS, Franklin BA, Costa F, et al. Cardiac Rehabilitation and Secondary Prevention of Coronary Heart Disease: An American Heart Association Scientific Statement From the Council on Clinical Cardiology (Subcommittee on Exercise, Cardiac Rehabilitation, and Prevention) and the Council on Nutrition, Physical Activity, and Metabolism (Subcommittee on Physical Activity), in Collaboration With the American Association of Cardiovascular and Pulmonary Rehabilitation. *Circulation*. 2005;111(3):369-376.

King ML, Williams MA, Fletcher GF, et al. Medical Director Responsibilities for Outpatient Cardiac Rehabilitation/Secondary Prevention Programs: A Statement From the American Heart Association/American Association for Cardiovascular and Pulmonary Rehabilitation. *JCR* 2005;25:315-320.

Chan PS, Krumholz HM, Nichol G, et al. Delayed time to defibrillation after in-hospital cardiac arrest. *NEJM*. 2008;358(1):9-17.

OIG Report: Review of Medicare Outpatient Cardiac Rehabilitation Provided by Hospitals (A-05-03-00102), 2005.

International Classification of Functioning, Disability and Health (ICF). Geneva: World Health Organization; 2001.

[New York Heart Association \(NYHA\) Functional Classification-Classes of Heart Failure](#). Accessed on 08/06/2014.

[Back to Top](#)

[Revision History Information](#)

Please note: Most Revision History entries effective on or before 01/24/2013 display with a Revision History Number of "R1" at the bottom of this table. However, there may be LCDs where these entries will display as a separate and distinct row.

10/01/2014 R1

Under **CMS National Coverage Policy** the following manual citations and Change Requests were added: CMS Internet-Only Manual, Pub 100-03, Medicare National Coverage Determinations Manual, Chapter 1, Part 1, §20.10.1; CMS Internet-Only Manual, Pub 100-02, Medicare Benefit Policy Manual, Transmittal 191, dated July 18, 2014, Change Request 8758; CMS Internet-Only Manual, Pub 100-04, Medicare Claims Processing Manual, Transmittal 2989, dated July 18, 2014, Change Request 8758; and CMS Internet-Only Manual, Pub 100-08, Medicare Program Integrity Manual, Transmittal 530, dated July 18, 2014, Change Request 8758. Under **Coverage Indications, Limitations and/or Medical Necessity** and **Associated Information** language quoted from the Centers for Medicare and Medicaid Services (CMS) National Coverage Determinations (NCDs) and coverage provisions in interpretive manuals was italicized throughout this section of the LCD. Under **Coverage Indications, Limitations and/or Medical Necessity** in the second paragraph added the following verbiage X2 "... in the case of acute cardiac events such as myocardial infarction (MI) or cardiac surgery" and deleted, "... or outpatient post-hospital..." Under **Phases of Cardiac Rehabilitation-Phase II** added "yet" and "(see section D)" to the last bullet. Under the paragraph regarding the individualized treatment plan added "established" to the third bullet. The seventh bullet was added to the list of conditions covered for patients requiring CR (cardiac rehabilitation) and ICR (intensive cardiac rehabilitation). Under **Limitations** corrected the cited ICR enrollment form to now read CMS-855B and deleted the following verbiage, "...for the fiscal intermediary or Part A Medicare Administrative Contractor (MAC)." Outcome measures were added for ICR programs. Under **Diagnoses for Both CR and ICR** under the first bullet deleted the ICD-9/ICD-10 diagnosis codes. Billing information located under **C. Frequency and Duration for CR and ICR** was removed and added as a supplemental article to the LCDs. Under **Exit Criteria for Both CR and ICR** added a new heading labeled **Exit Criteria**. In the first bullet under Exit Criteria, added the exit criteria for chronic heart failure. Under **E. Non-Covered Diagnoses for Both CR and ICR** added "Acute" to the third bullet and deleted "...in the absence of other covered conditions..." Under **Revenue Codes** deleted the first paragraph and added revenue codes 096X, 0973 or 0982 for type of bill 85X. Under **ICD-9/ICD-10 Codes That Support Medical Necessity** diagnosis codes for chronic heart failure were added to each respective LCD. Under **Associated Information-Documentation Requirements** under the third bullet added the verbiage, "...the identified psychosocial issues..." The second sentence was deleted from bullet #7 and the following verbiage was added to the first sentence: "...for the program and if a supervising physician is also involved, that physician should be identified as well." The eighth bullet was deleted. Under **Associated Information-Utilization Guidelines** corrected the cited LCD section in the first paragraph. Under **Sources of Information and Basis for Decision** author names and supplement numbers were added to several references and the citations were placed in the AMA format. The following sources were added: International Classification of Functioning, Disability and Health (ICF). Geneva: World Health Organization; 2001; and New York Heart Association (NYHA) Functional Classification-Classes of Heart Failure. Accessed on 08/06/2014. Under **ICD-10 Codes That Support Medical Necessity** deleted the "Note regarding use of Z94.89 for heart-lung transplant as there is a specific ICD-10 code for heart and lung transplant status. This LCD revision becomes effective October 1, 2014.

•Typographical Error

[Back to Top](#)

[Associated Documents](#)

Attachments N/A

Related Local Coverage Documents Article(s) [A53369 - Frequency and Duration for Cardiac Rehabilitation and Intensive Cardiac Rehabilitation Supplemental Instruction Article opens in new window](#)

Related National Coverage Documents N/A

Public Version(s) Updated on 08/07/2014 with effective dates 10/01/2014 - N/A [Updated on 03/05/2014 with effective dates 10/01/2014 - N/A Back to Top](#)

[Keywords](#)

- Cardiac Rehabilitation

Read the [LCD Disclaimer opens in new window](#) [Back to Top](#)